









STANDARD



ZERO



VERTICAL



Technical Data

TYPE	DIAGRAM	TRACK	REVEAL DEPTH	MAX WIDTH	MAX HEIGHT	MIN WIDTH	MIN HEIGHT
SINGLE	-	STANDARD	30	4500	3000	500	600
		ZERO	45	2750	3000		
DOUBLE		STANDARD	30	9000	7000	1000	600
		ZERO	45	5500	3000		
VERTICAL	1 - 1	VERTICAL	32	2400	2800	500	600

OPTIONS

Track Type Standard



9mm Bottom Track

Standard 25mm Bottom Track



25mm Bullnose Bottom Track*

9mm bottom track not recommended for openings greater than 2000mm wide

Track Type Zero



Mesh Type



PLEATED Colour | Powdercoat

STANDARD COLOURS





Anodise







CUSTOM COLOURS*





Deco Wood





STANDARD



VERTICAL



Technical Data

TYPE	DIAGRAM	CASSETTE SIZE	MAX WIDTH	MAX HEIGHT	MIN WIDTH	MIN HEIGHT
SINGLE		44	1000	1800	15.0	300
		50	1500	3000	150	
DOUBLE		44	2000	1800	7.0.0	300
		50	3000	3000	300	
VERTICAL	1 - 1	44	1700	1000	500	150
		50	1700	1500	500	

OPTIONS

Track Type Standard



Standard 28mm Bottom Track

Mesh Type



FLAT Colour | Powdercoat

STANDARD COLOURS



TEXTURED COLOURS*



*Surcharge Applies







FOR WINDOWS AND DOORS

The Element Flyscreen range has been designed with durability, style, and comfort in mind. To ensure that our flyscreens compliment your home, we offer a solution for every window and door.



PLEATED MESH STACKABLE FLYSCREENS WIDESPAN ADVANTAGE



Standard

Slimline and perfect for wide alfresco openings, spanning up to 4.5m in a single screen, or 9m in a double screen



Zero

Minimal track for a reduced trip hazard, spanning up to 2.75m in a single screen, and 5.5m in a double screen



Vertical

Pull down design is ideal for windows and alfresco openings up to 2.4m wide



FLAT MESH

RETRACTABLE FLYSCREENS



Standard

Clearview design maximising the view, suited to openings up to 1.5m in a single screen, or 3m in a double screen.



Vertical

Clearview design, maximising the view, with a pull down operation ideal for windows up to 1.7m wide





